



INDEX MAPS.

T.30N. R.11E. 2nd Mer.



The figures on the lines refer to the page.

South Boundary

- West On South Boundary of Sec. 36
 15.82 A Beech 10 in. diam.
 16.00 A Branch 10 links wide. Course S. 87°
 23.50 A Creek 50 links " " N. 7°
 40.00 Set a q. Sec. post from which
 a Beech 12 in. diam. bears S. 66° E. 52 links dist. &
 a Dr. 12 " " " N. 83° 7' 54 " "
 80.00 Set a Post cor. to Sec. 35 & 36 from which
 a Walnut 40 in. diam. bears N. 71° E. 36 links dist. &
 a Water Beech " " " N. 21° 48 " "
 Land rolling & good. 2nd rate. Timber. Beech
 Oak, Ash, Elm, Poplar, Hickory, Gum &c.
 Underg. Spice &c.

- West On South Boundary of Sec. 35
 21.25 A Beech 10 in. diam.
 28.52 A Dr. 12 " " (Old sight tree)
 40.00 Set a q. Sec. post from which
 a Beech 16 in. diam. bears N. 32° E. 20 links dist. &
 a Ironwood 10 in. " " S. 72° E. 29 " "
 67.20 A Red Oak 30 " " (Old sight tree)
 80.00 Set a Post Cor. to Sec. 34 & 35 from which
 a W. Oak 18 in. diam. bears N. 57° E. 23 links dist. &
 a Dr. 30 " " " N. 58° 47' 57 " "
 Land Rolling & good 2nd rate. Timber. Beech.
 Oak. Sugar. Ash, Elm &c. &c. Underg.
 Spice. &c.

- West On South Boundary of Sec. 34
 2.84 A W. Oak 30 in. diam. (Old sight tree).
 12.00 Enter West Prairie
 40.00 Set a q. Sec. post & raised a Mound in Prairie
 63.50 Enter Point of Timber from South.
 68.54 A Buck eye 18 in. diam.
 81.00 Set a Post Cor. to Sec. 33 & 34 from which

T 30 N. R. 10 E 2nd Mer. Indiana.

a Burr Oak 12 in. diam. bears S. 33 W. 23 links dist. &
 a Do Do 12 " " " N. 85 W. 43 " "
 Land level & wet.

West On South Boundary of Sec 33
 0. 00 Enter Wet Prairie
 40. 00 Set a q. Sec post. and raised mound in Prairie
 43. 50 Leave the Prairie
 58. 40 An Ash 24 in. diam.
 60. 00 Set a Post Cor. to Sec. 32 & 33 from which
 an Ash 14 in. diam. bears S. 51 E. 7 links dist. &
 a Do 40 " " " North 39 " "
 Land level and entirely covered with water.
 Timber. Maple. Swamp Ash. & Willows.

West On South Boundary of Sec 32
 8. 00 Set Post in Swamp on Margin of the Lake.
 from which an
 Ash 14 in. diam. bears N. 23 W. 20 links, dist. &
 Do 18 " " " S. 32 E 19 " "
 Swamp. Swamp. Dec. 5th 1839
 On South Boundary of T 30 N. R. 10 E.
 Established Cor. of Sec. 31 & 32 from which
 an Elm 12 in. diam. bears N. 48 E. 18 links dist. &
 a Do 7 " " " N. 12 W. 11 " "
 47. 50 To Little River 250 links wide course S. W.
 Set a Post from which
 a W. Ash 7 in. diam. bears N. 42 W. 126 links dist. &
 a No other tree near
 Level wet Bottom. Buckeye. Ash. Willows.

West On South Boundary of Sec 31
 20. 25 A Hickory 16 in. diam.
 40. 00 Set a q. Sec post from which
 a W. Oak 16 in. diam. bears N. 20 W. 33 links dist. &
 an Elm 4 " " " N. 61 1/2 E. 40 " "

* 19. 00 Pine About 40 in. wide South
 20. 67 a Buckeye 15 in. diam.
 40. 00 Set a q. Sec. post from which
 a Do 16 in. diam.

56.23 Intersect the Range line 69 links South of where
the Range line intersects the reserve line
Set Post Cor. to Secs. 1, 6, 31 & 36 T. 29 N. R. 30 E
from which a
Beech 16 in diam. bears N. 18 E 61 links dist. & a
W. Ash 6 " " " S. 52 E 50 " "
Land well rich timber. W. Ash, Hickory, Elm,
Beech, &c. Monday Jan 21 1829
William Brookfield.
Dep. Surveyor.

East Boundary

North On East Boundary of Sec 36 var. 5° 45' E
00.45 A Beech 24 in diam.
40.00 Set a gp. Sec post from which
a Beech 16 in diam. bears N. 6 W. 17 links dist. &
an Elm 18 " " " S. 45 E 12 " "
55.90 An Elm 20 " "
60.00 Enter Swamp.
80.00 Set a Post Cor. to Secs. 25 & 36 in a swamp.
Land rich timber. Beech & Oak.

North On East Boundary of Sec. 25
40.00 Set a gp. Sec post in Swamp
80.00 Set a Post Cor. to Secs. 24 & 25. in a swamp.
Land all swamp.

North On East Boundary of Sec 24
40.00 Set a gp. Sec post from which
an Elm 8 in diam. bears S. 52 E 2 links dist. &
a Maple 12 " " " N. 52 W. 20 " "
41.78 Intersect the Boundary and set Post from which
a Maple 8 in diam. bears N. 85 W. 25 links dist. &
a Do 10 " " " S. 70 E. 10 " "
Land as before
Continued from the Range line var. 5° 45' E.

North On East side of the 24
 14. 10 A Maple 8 in. diam.
 26. 74 Left Maple Swamp & Enter Swampy Prairie.
 33. 24 Left Swampy Prairie
 38. 24 Set a Post Cor. to Sec. 13 & 24. from which
 a Hickory 20 in. diam. bears S. 19 N. 72 links dist. &
 a D. 18 " " " N. 79 N. 416 " "
 Land level & Swampy no undergth

North On East side of Sec. 13
 23. 64 A W. Oak 24 in. diam.
 40. 00 Set a post the post from which
 a Poplar 18 in. diam. bears S. 29 N. 39 links dist. &
 a W. Oak 16 " " " N. 45 N. 11 " "
 45. 00 Enter S Prairie
 47. 00 A Stream 15 links wide. Course S W.
 49. 00 Left Swampy Prairie & Enter Barrens,
 74. 12 A Hickory 21 in. diam.
 80. 00 Set a Post Cor. to Sec. 12 & 13 from which
 a W. Oak 17 in. diam. bears S. 58 N. 50 links dist. &
 a B. Oak 6 " " " N. 48 N. 12 " "
 Land level 2nd note with scattering Oak Timber.
 Undergrowth Heavy. Hickory & Oak.

North On East Boundary of Sec. 12.
 22. 00 Left the Barrens.
 24. 00 A Buck 21 in. diam.
 40. 00 Set a post the post from which
 a Hickory 7 in. diam. bears N. 64 N. 22 links dist. &
 a W. Oak 24 " " " N. 10 N. 32 " "
 54. 00 A D. 24 " "
 80. 00 Set a Post Cor. to Sec. 11 & 12 from which
 a W. Oak 24 in. diam. bears S. 23 N. 71 links dist. &
 a B. Oak 23 " " " N. 71 N. 100 links "
 Land level 2nd note. Timber. Oak & Hickory.
 Undergth same with Hazle.

North On East Boundary of Sec 1

19.90 A Hickory 15 in. diam.

40.00 Set a gr. Sec. post from which
an R. Oak 24 in. diam. bears S. 42° W. 27 links dist. &
a Do. 20 " " " N. 32° W. 55 " "

67.78 A Hickory 15 " "

80.00 Set Temporary Post Corner to Towns 30 + 31. North
Ranges 11. + 12 East.

Land &c same as last mile.

North Boundary var 5° 45' E.

West On South Boundary of Sec 36. T 31 N R 11 E.

18.70 An Elm 10 in. diam.

40.00 Set a gr. Sec. post from which
a Hickory 15 in. diam. bears N. 55° E. 31 links dist. &
a Do. 14 " " " N. 37° W. 41 " "

50.54 A W. Oak 18 " "

66.00 Enter swampy Prairie.

79.00 Left same

80.00 Set Post Cor. to Sec. 35 + 36 from which
a W. Oak 18 in. diam. bears N. 11° E. 78 links dist. &
a B. Oak 4 " " " N. 85° W. 70 " "

Land level 2nd rate. Timber. Oak + Hickory.
Undergrowth same.

West On South Boundary of Sec. 35 T 31 N R 11 E.

16.94 A Hickory 12 in. diam.

40.00 Set a gr. Sec. post from which
a Hickory 14 in. diam. bears N. 72° E. 32 links dist. &
a Do. 15 " " " N. 52° W. 93 " "

68.93 A Syc. 14 " "

80.00 Set a Post Cor. to Sec. 34 + 35 from which
a Hickory 6 in. diam. bears N. 81° E. 37 links dist. &
a R. Oak 15 " " " N. 69° W. 93 " "

Land level 3rd rate. Timber. Hickory with
some scattering Oak. Undergth same

West On South Boundary of Sec 34. T 31 N. R. 11 E
 13.40 A Lymn 12 in. diam.
 32.63 A Hickory 13 " "
 40.00 Set a gr. Sec post. from which
 a Lymn 7 in. diam. bears N. 45 E 32 links dist. &
 a Dogwood 6 in. " " N. 36 W. 22 " "
 45.40 A Stream 15 links wide. Course South;
 47.24 A Dr 45 " " " SE
 48.30 A Hickory 13 " "
 80.00 Set a Post Cor. to Sec. 33 & 34 from which
 a W. Oak 14 in. diam. bears N. 76 E. 27 links dist. &
 a Beech 30 " " " N. 37 W. 42 " "
 Land level 2nd rate. Timber. Ash. Oak. Beech
 & Undergth Ironwoods. &c.

West On South Boundary of Sec 33 T 31 N. R 11 E.
 20.25 A W. Oak 24 in. diam.
 40.00 Set a gr. Sec post. from which
 a Beech 18 in. diam. bears N. 83 E. 16 links dist. &
 a W. Oak 12 " " " N. 73 W. 26 " "
 63.20 A Hickory 14 in. diam.
 80.00 Set a Post Cor. to Sec. 32 & 33 from which
 an R. Oak 32 in. diam. bears N. 50 E. 44 links dist. &
 an S. Ash 19 " " " N. 56 W. 38 " "
 Land level 2nd rate a little wet. Timber
 Ash. Beech & Walnut. Undergth Ironwoods.

West On South Boundary of Sec 32 T 31 N. R 11 E
 31.20 An Elm 22 in. diam.
 40.00 Set a gr. Sec post. from which
 a Beech 7 in. diam. bears N. 50 E. 5 links dist. &
 a Dr 16 " " " N. 61 W. 7 " "
 50.63 An Elm 42 in. diam.
 71.45 A Beech 6 " "
 80.00 Set a Post Cor. to Sec. 31 & 32 from which
 a W. Ash 15 in. diam. bears N. 51 E. 53 links dist. &

393

T 30 N. R 11 E. 2nd Mer. Indiana.

a Shag Ash 20 in. diam. bears N 4 W 33 links dist.
Land level & met 2nd mate. Timber Ash. Beech
and Oak. Undergth Iron wood & Spice.

West On South Boundary of Sec. 31 T 31 N. R 11 E.
15.55 A W Oak 23 in. diam.
20.00 Enter Willen Swamp.
34.00 Left Do Do.
40.00 Set a 2nd Sec post from which
a Buckeye 5 in. diam. bears N 62 E 7 links dist.
a W Oak 11 " " " N 64 W 20 " "
47.10 A B. Oak 16 " "
58.50 Intersected North line 1505 links South of
the Post. Set a Post Cor. to Corns 30 & 31 N.
Ranges 10 & 11 E. Sec. 1. 6. 31 & 36.
Apr 18th 1828.
Forgot to take bearings!!
Land not described

West Boundary.

North On East Boundary of the 36. T 30 N. R 10 E.
On Random.
Beginning at the intersection of the Range
line with the E. E. Boundary of the Reserve of
Ten Sections at Racoon Village.
10.50 Enter Wet Prairie
44.00 Intersect South Bank of the Canal
80.00 Set Tempth Post 1st mile.

North On Random On ~~East~~ Boundary of Sec. 25
T 30 N. R. 10 E.
49.50 A Stream 20 links wide; Course East.
80.00 Set Tempth Post for 2nd mile.

North On Random On East Boundary of Sec. 24.

T 30 N. R. 11 E	
66.00	Intersect the NW Boundary of the Reserve of Ten Sections. 207 links East of the Post. Run at a var. of $5^{\circ}15'E$.
South	From old Post in the NW line of the Reserve on East side of Section 24. Run true line on East Boundary of Sec. 24 var. $5^{\circ}45'E$.
5.56	Set a gr. Sec post from which a Beech 18 in. diam. bears N. $76^{\circ}W$. 27 lks. dist. & a Dr 10 " " " N. $41^{\circ}E$. 28 " "
16.23	A Beech 36 " "
33.67	A Buckeye 16 in. diam.
45.56	Set a Post Cor. to Sec. 24 + 25 from which a Beech 10 in. diam. bears N. $34^{\circ}W$. 32 lks. dist. & a Dr 24 " " " S. $81^{\circ}W$. 23 " "
	Land rolling 2nd rate. Timber. Beech. Ash Oak. Elm. Hickory. Syc. &c. Underg. th Spruce.
South	On East Boundary of Sec. 25 On Random T 30 N. R. 11 E.
15.02	An Ironwood 5 in. diam.
29.82	A Beech 22 " "
41.00	Set a gr. Sec post from which a Beech 18 in. diam. bears N. $7^{\circ}W$. 39 links dist. & a Dr 12 " " " S. $27^{\circ}W$. 24 " "
49.00	A Stream 20 links wide. Course East.
50.56	An Ash 12 in. diam.
73.80	A W. Oak 36 " "
80.00	Set a Post Cor. to Sec. 25 + 36 from which a W. Oak 36 in. diam. bears N. $39^{\circ}E$. 44 links dist. & a Dr 40 " " " S. $18^{\circ}E$. 57 " "
	Land Rolling + 2nd rate. North $\frac{1}{2}$ Beech timbered Land. South $\frac{1}{2}$ thinly timbered with Oak. + Hickory. with a thick Underg. th of " " " Thorn, Plum, Crabapple &c.

South On East Boundary of Sec 36. On Random
T 30 N. R 10 E.

23.12 An Elm 18 in. diam.

40.00 Set a gr. Sec post. from which
a W. Oak 20 in. diam. bears S 32 E 16 links dist.
No other tree convenient. being in an old
Indian field.

81.17 At Post set for Township Corner.

No Posts were set on the Canal Bank, or in the
rear of the canal lots. The land at that place
being included in Chapin's Reserve
North of the canal. thinly timbered with Oak,
and very brushy. South of the canal all
wet Prairie.

January 1st 1839.

205.55 Set Post on the N.W. side of Racoon Reserve
on East side of Sec 24. from which
a Beech 14 in. diam. bears N. 76 W. 30 lks. dist. &
a Dr 8 " " " N. 33 W. 19 " "
thence on East side of Sec 24

10.87 A Beech 12 in. diam.

34.44 Set a Post Cor. to Sec. 13 & 24 from which
a Beech 14 in. diam. bears S 31 W. 30 lks. dist. &
a Dr 17 " " " N. 46 W. 19 " "
Sand level 2nd rate. Timber. Ash. Beech &
Oak. Underg. the Ironwood & Elms.

North On East Boundary of Sec 13. T 30 N. R 10 E.

27.99 A Beech 15 in. diam.

32.95 A Stream Course E

40.00 Set a gr. Sec post from which
a Sugar 10 in. diam. bears S 16 W. 43 links dist. &
a Beech 10 " " " N. 34 W. 24 " "

70.73 A B. Ash 6 " "

80.00 Set a Post Cor. to Sec. 12 & 13 from which
a Hickory 7 in. diam. bears S 6 W. 44 links dist. &

T 30. N. R 11 E 2nd Mer. Indiana.

a B. Walnut 34 in. diam. bears S. 9 W. 23 links dist
Land & Timber as before. Underg^d same.

North On East Boundary of Sec 12. T 30 N. R 10 E.

25 93 A Poplar 36 in. diam.

40.00 Set a gr. Sec. post from which

a Burr Oak 6 in. diam. bears S. 9 W. 24 links dist &

a Buckeye 15 " " " N. 56 W. 24 " "

54.63 An R. Oak 40 " "

80.00 Set a Post Cor. to Sec. 1 & 2 from which

a Maple 11 in. diam. bears S. 38 W. 16 links dist &

a Dr 15 " " " N. 16 W. 28 " "

Land level 2nd rate Timber. Ash, Beech, & Oak.
Underg^d Chenoweth & Spicer.

North On East Boundary of Section 1 T 30 N. R 10 E

10.35 A Stream 34 links wide; course, S.E.

25 29 A Beech 11 in. diam.

40.00 Set a gr. Sec. post from which

a Beech 14 in. diam. bears S. 22 W. 12 links dist &

a B. Ash 4 " " " N. 75 W. 20 " "

61.88 An Elm 30 " "

80.00 Set Temporary Turn Corner

Land level & 2nd rate, Timber, Beech, Oak &
Whiskey. Underg^d Chenoweth, Sugar & Spicer.

Apr 14th 1828.

Surveyed by

C. Carter & D. Hinkle

Dep^y Surveyors

Subdivisions

West Between Sec. 25 & 36

40.00 Set a gr. Sec. post in swamp, no bearing trees.

80.00 Set Post Cor. to Sec. 25, 26, 35 & 36 in swamp
and raised a Mound

Compd

North Between Sec. 35 & 36

39.90 A Stream 10 links wide. Course West.

40.00 Set a gr. Sec. post. from which
a Maple 8 in. diam. bears North 36 links dist. &
a Do - " " " N. 42 E. 7 " "43.91 Intersected Ten mile Reserve & set a post
from which a
Burr Oak 6 in. diam. bears N. 3 W. 9 links dist. & a
S. Ash 5 " " " Bush 21 " "

West Between Sec. 26 & 35

5.25 Left Swampy Prairie

13.44 A Maple 27 in. diam.

17.00 Do Swamp

40.00 Set gr. Sec. post in Swamp. No bearing trees

70.00 Set Post in same & return.

North Between Sec. 25 & 26

10.50 Left Prairie

25.90 A W. Oak 20 in. diam. { 26.00 Prairie

38.00 A Stream 50 links wide. Course West.

45.00 Set gr. Sec. post. no bearing trees

50.00 Set a Post Corner to Sec. 23, 24, 25 & 26
no bearing trees Raised a Mound.

East On Random between Sec. 24 & 25

40.00 Set Temp. gr. Sec. post

80.00 Intersect N & S line. No Corner found

West Connected between Sec. 24 & 25

40.00 Set gr. Sec. post. no bearing trees,

80.00 Sec. Corner.

North Between Sec. 23 & 24

8.50 Left Swampy Prairie

14.75 A Brook 8 links wide; Course East.

- 18.00 A Buck 24 in. diam.
 40.00 Set a gr Sec. post, from which
 a W. Oak 24 in. diam. bears S. 30 W 14 links dist &
 a Do 24 " " " N. 16 E. 26 " "

West Between Sec. 25 & 26

10.00 Left the Swamp.

- 40.00 Set a gr Sec. post from which
 a W. Oak 6 in. diam. bears N. 75 E. 72 links dist &
 a Hickory 4 " " " S. 86 W. 60 " "

50.00 Set Post and return no line found.

The Land is generally very swampy.

Feb. 24th 18-

Surveyed by
 David Willis D.S.

West Between Sec. 13 & 24

19.37 A W. Oak 16 in. diam.

23.00 Enter little Wet Prairie

28.00 A Brook 15 links wide. Course South

33.00 Leave little Wet Prairie

- 40.00 Set a gr Sec. post, from which
 a W. Oak 16 in. diam. bears N. 57 1/2 E. 88 links dist &
 a Do 24 " " " S. 20 E. 80 " "

44.50 To Eel River & J. Wayne Road. Course S W. & N. E.

69.70 A W. Oak 24 in. diam.

- 80.00 Set a Post Cor. to Sec. 13 14 23 & 24 from which
 a W. Oak 18 in. diam. bears S. 81 E. 13 links dist &
 a Do 16 " " " West 8 " "

Land rolling, 2nd rate. Timber. W. Oak. & B. Oak.
 W. Ash & Poplar.

South Between Sec. 23 & 24

18.80 A W. Oak 13 in. diam.

30.20 To Eel River & J. Wayne Road. Course S W. & N. E.

- 40.00 Set a gr Sec. post, from which
 a W. Oak 13 in. diam. bears S. 3 E. 23 links dist &

a W. Oak 11 in. diam. bears N. 50 E 48 links dist,
 58.22 A Buck 22 " "
 70.70 A W. Oak 22 " " and Enter Wet Prairie and
 Intersect the Canal line. Course N.E. & S.W.
 80.00 Set a Post Cor. to Sec. 23, 24, 25 & 26 from which
 an Elm 20 in. diam. bears N. 75 W. 8.79 links dist &
 a W. Oak 22 " " " North 9.30 " "
 Land & Timber same as between Sec. 13 & 24
 except Wet Prairie. which, at no distant day,
 will be made into the 1st meadow in this
 Country I presume.

East Between Sec. 24 & 25
 13.18 Intersect Portage line and Set a Post, from which
 a W. Oak 24 in. diam. bears N. 16 E 18 links dist &
 a Land Wet Prairie.

South Between Sec. 25 & 26
 7.88 Intersect Portage line. S.W. of the Post, between
 Sec. 24 & 25 14 chains & 78 links; and it is
 to the S.W. end of Portage line 55 chains
 Set new Cor. end of Portage line, no bearings
 here. a Maple 10 in. diam. is Corner tree.
 Bearings are a
 Maple 18 in. diam. bears N. 44 E 24 links dist &
 an Elm 6 " " " N. 18 E 18 " " & a
 Dr 9 " " " N. 73 E 34 " "
 Set a Post Cor. to Sec. 25 & 26 from which
 an Elm 14 in. diam. bears N. 41 W. 12.15 links dist,
 Land wet Prairie.

West Between Sec. 23 & 26
 9.54 Intersect the Canal line. Course N.E. & S.W.
 10.50 Leave Wet Prairie
 17.00 A W. Oak 15 in. diam.
 40.00 Set a gr. Sec post, from which a

T 30 N. R 11 E 2nd Mer. Indiana.

- Hickory 4 in! diam. bears S. $27\frac{1}{2}$ E. 10 links dist. &
 a Red Oak 6 " " " N. 10 W. 45 " "
 53. 25 To Cat River & To Wayne Road. Course S W.
 & N. E.
 59. 40 A Beech 15 in! diam.
 68. 00 A Brook 8 links wide. Course S E.
 80. 00 Set a Post Cor. to Sec! 22. 23. 26 & 27. from which
 a Red Oak 14 in! diam. bears North 1. 16 links dist. &
 a W. Oak 11 " " " N. $87\frac{1}{2}$ W. 61 " "
 Land rolling & 1st rate Timber. W. & R. Oak.
 Hickory. Beech. & W. Oaks. & W. Ash

- South Between Sections 26 & 27
 21. 22 A W. Oak 10 in! diam.
 29. 50 To Cat River and To Wayne Road. Course S W. & N. E.
 40. 00 Set a gr. the post from which
 a W. Oak 6 in! diam. bears S. 9 E. 40 links dist. &
 a R. Oak 7 " " " S. $59\frac{1}{2}$ W. 12 " "
 51. 00 A Hickory 14 in! diam.
 52. 62 Intersect Canal Line. Course S W &
 Enter Wet Prairie.
 80. 00 Set a Post Cor. to Sec! 26. 27 34 & 35 from which
 an Elm 8 in! diam. bears S. $53\frac{1}{2}$ E. 28 links dist. &
 a Maple 7 " " " N. 72 W. 20 " "
 Land & Timber. same. Wet Prairie same.
 all through the place.

- East Between Sec! 26 & 35
 To close on Little River. I supposed
 11. 50 To Little River I set a Post from which
 a Maple 6 in! diam. bears S. $64\frac{1}{2}$ W. 54 links dist. &
 a Mullen 6 " " " N. 89 W. 74 " "
 Land rich 15 feet deep in quagmire. !!!

January 5th 1829

William Brookfield

South Between Sec. 34 & 35.

23.13 A Willow 14 in. diam.

27.00 Intersect Little River and set Meander Post.

from which a

Willow 4 in. diam. bears N. 77° W. 33 links dist. & a

Do 7 " " " N. 74° E. 44 " "

Land rich quagmire. mire. mire.

West Between Sec. 27 & 34

No Station

40.00 Set a q. sec. post from which

a W. Oak 20 in. diam. bears N. 26° E. 57 1/2 links dist. &

a Do 20 " " " N. 45° W. 54 1/2 " "

51.00 Leave Mt. Prairie { 56.50 Intersect Canal Line, Cr. S. W. }

59.00 To Eel River and Mt. Wayne Road. Course S. W.

60.52 A Red Oak 6 in. diam.

80.00 Set a Post Cor. to Sec. 27 28. 33 & 34.

Land rolling 1st rate. Prairie. Timber. W. & Re.
Oak. Hickory. Beech. Dogwood &c.

South Between Sec. 33 & 34

4.00 Eel River and Mt. Wayne Road. Course W.

12.13 Intersect Canal Line. Course North of East. & S. of W.

14.45 a Elm 10 in. diam. & Enter Mt. Prairie.

39.19 Little River & set Meander Post from which

a Maple 5 in. diam. bears N. 36° W. 4 links dist. &

a Do 4 " " " S. 40° W. 4 " "

Little River is 1.50 links wide. Course S. of W.

North Between Sec. 27 & 28

20.40 A Buck 16 in. diam.

40.00 Set a q. sec. post from which

a W. Oak 18 in. diam. bears S. 80° E. 10 links dist. &

a Do 25 " " " N. 8° W. 10 " "

56.70 A Hickory 6 " "

80.00 Set Post Cor. to Sec. 21 22. 27. & 28. from which

S 30 N. R 11 E 2nd Mer. Indiana.

a Black Walnut 5 in. diam. bears S. 18 $\frac{1}{2}$ W. 25 lbs. dist.
 a W. Oak 4 " " " S. 45 $\frac{3}{4}$ E. 48 " "
 Land gently rolling 1st rate. Timber. Hickory, Beech
 W. & R. Oak, Black Walnut &c. &c.

East On Random between Sec. 22 & 27

40.00 Set a temporary gp. Sec. post.

79.77 Intersect N & S line 33 links North of the Post.
 Land Rolling & 1st rate. Timber W. & R. Oak.
 Hickory &c.

West Corrected between Sec. 22 & 27

39.88 Set a gp. Sec. post at aver. dist. from which
 a Hickory 4 in. diam. bears N. 36 E. 18 links dist. &
 a Beech 14 " " " S. 85 W. 28 " "

79.77 To Sec. corner

North Between Sec. 22 & 23

21.40 A W. Oak 15 in. diam.

40.00 Set a gp. Sec. post from which
 a Hickory 13 in. diam. bears S. 8 $\frac{1}{2}$ E. 16 links dist. &
 a Sugar 22 " " " S. 70 $\frac{1}{2}$ W. 28 " "

67.55 A W. Oak 30 " "

80.00 Set a Post cor. to Sec. 14. 15 22 & 23 from which
 a Hickory 3 in. diam. bears S. 65 E. 5 links dist. &
 a Red Oak 3 " " " S. 35 W. 5 " "
 Land rolling gently 1st rate. Timber W. & R. Oak
 Hickory, Beech. &c.

East Between Sec. 14 & 23 On Random.

40.00 Set Temp² gp. Sec. post.

79.76 Intersected N & S line 9 links South of Post.
 Land & Timber same.

Tuesday Evening June 6. 1829
 William Brookfield

West Corrected between Sec. 14 & 23

- 39.88 Set a gr. Sec. post at aver. dist from which
a W. Oak 24 in. diam. bears S. 51 $\frac{1}{2}$ E. 16 links dist &
a Beech 11 " " " N. 54 $\frac{1}{2}$ W. 38 " "
79.70 To Sec. corner.

North Between Sec. 13 & 14

- 13.75 A W. Oak 24 in. diam.
40.00 Set a gr. Sec. post from which
a W. Oak 16 in. diam. bears S. 33 E. 50 links dist &
a Do 5 " " " N. 14 E. 8 " "
62.79 A Hickory 15 in. diam.
80.00 Set a Post cor to Sec. 11. 12. 13 & 14 from which
a Hickory 13 in. diam. bears S. 63 $\frac{1}{2}$ E. 43 links dist &
a Do 18 " " " N. 65 $\frac{1}{2}$ W. 10 " "
Land gently rolling 1st rate. Timber. Hickory,
W. & R. Oak, Beech &c.

East On Random between Sec. 12 & 13

- 40.00 Set a Temp² gr. Sec. post.
51.52 A Brook 8 links wide. Course West of South.
80.20 Intersect East Boundary 75 links South of the
Post.
Land Rolling 1st rate. Timber same but scarce.

West Corrected between Sec. 12 & 13

- 40.10 Set a gr. Sec. post at aver. dist from which
a W. Oak 6 in. diam. bears N. 84 $\frac{1}{2}$ E. 90 links dist &
a Do 26 " " " S. 49 W. 90 " "
80.20 To Sec. corner.

North Between Sec. 11 & 12

- 23.32 A W. Oak 6 in. diam.
40.00 Set a gr. Sec. post from which
a Spruce 12 in. diam. bears N. 49 E. 38 links dist &
a W. Oak 6 " " " N. 75 $\frac{1}{2}$ W. 32 " "

T 30 N. R 11. E. 2nd Mer. Indiana.

61.45 A Hickory 6 in. diam.
 80.00 Set a Post Cor. to Sec. 1. 2. 11 & 12 from which
 a W. Oak 11 in. diam. bears S. 72 E. 62 links dist. &
 a Bk Oak 22 " " " N. 37 1/2 W. 51 " "
 Land & Timber same.

East On Random between Sec. 1 & 12
 10.00 Set a stump & gr. etc. post
 80.64 Intersect N & S line or E. Boundary 67 links S.
 of the Post.
 Land & Timber same

West Corrected between Sec. 1 & 12
 40.32 Set a gr. etc. post at aver. dist. from which
 a W. Oak 10 in. diam. bears N. 44 E. 3 links dist. &
 a Hickory 9 " " " S. 24 1/2 E. 39 " "
 80.64 To the corner

North Between Sec. 1 & 2
 27.29 A W. Oak 15 in. diam.
 40.00 Set a gr. etc. post from which
 a W. Oak 30 in. diam. bears S. 19 E. 4. 30 links dist. &
 an Ashpin 9 " " " N. 32 1/2 E. 2. 15 " "
 55.19 A Red Oak 16 in.
 80.63 Intersect the North Boundary 18 links East of Post.
 Set a Post Cor. to Sec. 1 & 2. from which
 a W. Oak 15 in. diam. bears S. 63 W. 160 links dist. &
 a Y. Oak 18 " " " S. 19 1/2 E. 89 " "
 Land & Timber same.

Wednesday evening Jan^y 7th 1829.
 Wm Brookfield.

North Between Sec. 14 & 15
 23.00 A Willow 15 in. diam.
 40.00 Set a gr. etc. post. from which
 a Birch 15 in. diam. bears N. 46. 7 links dist. &

405

T 30 N. R. 10 E 2nd Mer. Indiana.

60.00 a Black Walnut 10 in. diam. bears S 60° E 38 links dist
 80.00 A W. Oak 28 " "
 Set Post Cor. to Sec. 10. 11. 14 & 15 from which
 a Beech 24 in. diam. bears S 14° W 67 links dist &
 a Dr 24 " " " North 95 " "
 Land gently Rolling 1st rate. Timber. W. & R Oak.
 Hickory. Beech. &c. Undergth Bk. Walnut.
 Elm. &c.

East On Random between Sec. 11 & 14
 40.00 Set Temp^g of Sec. post
 79.54 Intersect the N & S line 30 links South of Post.
 Land & Timber same

West Connected between Sec. 11 & 14
 39.77 Set a gr. Sec. post at aver. dist. from which
 a W. Oak 18 in. diam. bears N. 55° E 1 link dist &
 a Dr 16 " " " N. 24 W. 21 " "
 79.54 To Sec. corner

North Between Sec. 10 & 11
 19.65 A W. Ash 15 in. diam.
 40.00 Set a gr. Sec. post, from which
 an Aspⁿ 10 in. diam. bears N. 76° W. 76 links dist &
 a Dr. 5 " " " N. 27 W. 1.90 " "
 59.52 A W. Oak 22 " "
 80.00 Set a Post Cor. to Sec. 2. 3. 10 & 11 from which
 an Elm 15 in. diam. bears S. 76° E. 22 links dist &
 a W. Ash 15 " " " West 28 " "
 Land & Timber same.

East On Random between Sec. 2 & 11
 40.00 Set a Temp^g of Sec. Post.
 79.80 Intersect the N & S line 15 links South of the Post.
 Land &c same

T 30 N R 10 E 2nd Mer. Indiana.

West Connected between Sec! 2 + 11

39.90 Set a gr. Sec. post at aver. dist. from which
 a W. Ash 7 in. diam. bears S. 45 $\frac{1}{2}$ E. 16 links dist. &
 a Maple 18 " " " N. 55 W. 20 " "

79.80 To Sec. Corner

North Between Sec! 2 + 3

25.93 A Birch 18 in. diam.

40.00 Set a gr. Sec. post. from which
 a W. Ash 7 in. diam. bears S. 22 $\frac{1}{2}$ W. 12 links dist. &
 a Do 8 " " " N. 3 $\frac{1}{3}$ W. 23 " "

61.45 A W. Oak 15 in. diam.

83.19 Intersect the North Boundary 76 links East of
 the Post. Set a Post Cor. to Sec! 2 + 3 from which
 a W. Oak 8 in. diam. bears S. 35 W. 25 links dist. &
 a Do 8 " " " S. 23 E. 64 " "

Sand & Timber same

Thursday Evening Jan. 8th 1829
 William Brookfield.

North Between Sec! 21 + 22

19.45 A W. Oak 22 in. diam.

40.00 Set a gr. Sec. post. from which
 a Hickory 12 in. diam. bears N. 88 $\frac{1}{2}$ E. 9 links dist. &
 a Spruce 5 " " " S. 73 $\frac{1}{2}$ W. 15 " "

61.95 A W. Ash 22 in. diam.

80.00 Set a Post Cor. of Sec! 15 16. 21 + 22 from which
 a Spruce 6 in. diam. bears S. 7 $\frac{1}{2}$ W. 18 links dist. &
 a Do 5 " " " S. 54 $\frac{1}{2}$ E. 16 " "

Land gently rolling + 1 $\frac{1}{2}$ mts. Timber. W. & R.
 Oak. Hickory. Birch. Spruce. &c &c.

East On Random between Sec! 15 + 22

40.00 Set temporary gr. Sec. post

79.65 Intersect N & S line 23 links North of the Post.
 Sand & Timber same.

West Corrected between Sec. 15 & 22
 39.82 $\frac{1}{2}$ Set a gr. Sec. post at aver. dist. from which
 a W. Oak 11 in. diam. bears N. 18 $\frac{1}{2}$ E. 40 links dist. &
 a Do 18 " " " S. 23 W. 22 " "
 79.65 To Section Corner.

North Between Sec. 15 & 16
 22.51 A W. Ash 11 in. diam.
 40.00 Set a gr. Sec. post. from which
 a Hickory 14 in. diam. bears S. 46 E. 13 links dist. &
 a Sugar 6 " " " N. 47 W. 14 " "
 38.40 A W. Ash 40 in. diam.
 80.00 Set a Post Cor. to Sec. 9. 10. 15 & 16 from which
 a W. Ash 14 in. diam. bears East 36 links dist. &
 a Sugar 9 " " " N. 34 W. 4 $\frac{1}{2}$ " "
 Sand & Timber same

East On Random between Sec. 15 & 16
 40.00 Set a Temp $\frac{1}{2}$ gr. Sec. Post
 79.62 Intersect the N & S line — links North of Post.
 Sand &c same.

West Corrected between Sec. 10 & 15
 39.81 Set a gr. Sec. post at aver. dist. from which
 a W. Oak 30 in. diam. bears N. 37 W. 9 links dist. &
 a Do 15 " " " S. 78 E. 18 " "
 79.62 To Section Corner.

North Between Sec. 9 & 10
 25.46 A Beech 25 in. diam.
 40.00 Set a gr. Sec. post from which
 a Black Walnut 9 in. diam. bears S. 20 W. 12 links dist. &
 a Buckeye 10 " " " N. 74 E. 23 " "
 61.52 A Beech 15 " "
 80.00 Set a Post Cor. to Sec. 3. 4. 9 & 10 from which
 a Beech 14 in. diam. bears S. 23 E. 21 links dist. &

T 30 N R 11 E 2nd Mer. Indiana

a Beech 15 in. diam. bears S 84 W 45 lks. dist.
Land &c same

East On Random between Sec. 3 & 10
40.00 Set a stemp² of the post.
79.42 Intersect the N & S line 7 links North of Post.
Land & timber same.

West Corrected between Sec. 3 & 10
39.71 Set a gr. Sec. post at acc. dist from which
a Beech 15 in. diam. bears N 42 E 44 links dist &
a W. Oak 20 " " " N. 54 1/2 W. 42 " "
79.42 St. Sec. corner

North Between Sec. 3 & 4
7.00 Dry Brook 30 links wide. Course S. W.
16.50 " Do 30 " " " S E
22.95 An Elm 10 in. diam.
23.80 Dry Brook 30 links wide. Course S. W.
40.00 Set a gr. Sec. Post, from which
a Beech 14 in. diam. bears S 77 E 34 links dist &
a Do 18 " " " N. 59 W. 27 " "
57.73 A Beech 12 " "
84.00 Intersect North Boundary 3, 43 links East of Post.
Set a Post Cor. to Sec. 3 & 4 from which
a W. Oak 8 in. diam. bears S 63 W. 40 links dist &
a Do 10 " " " S. 78 E. 38 " "
Land & timber same

Friday Evening Jan. 9th 1829

William Brookfield D.S.

West Between Sec. 28 & 33
20.87 A Red Oak 5 in. diam.
34.50 A Brook 10 links wide. Course South.
40.00 Set a gr. Sec. post, from which
a Beech 12 in. diam. bears S 21 1/2 E. 32 links dist &

a Beech 13 in. diam. bears N. 89 W. 75 links dist.
 52.26 A W. Oak 18 " " "
 60.00 Set Post Cor. to Sec. 28, 29, 32 + 33 from which
 a Beech 20 in. diam. bears N. 18 E. 21 links dist. &
 a W. Ash 24 " " " S. 16 E. 28 " "
 Land & Timber same

South Between Sec. 32 + 33

22.50 W. Wayne & Ed. River Road. Course S W
 23.73 A Hickory 16 in. diam.
 32.62 Canal Line Course E + W. & Enter Bottom.
 40.00 An Elm 14 in. diam. for. of Sec. Corner.
 63.18 A W. Oak 9 " " on West side of Little River,
 for Meander Post.
 Land North $\frac{1}{2}$ mile 1st rate. Upland. Timber
 same as before Bottom chiefly Willow.

West Between Sec. 29 + 32

22.53 A Beech 3 in. diam.
 40.00 Set a q. Sec. post from which
 a W. Oak 11 in. diam. bears N. 56 W. 5 links dist. &
 a Do 11 " " " N. 79 E. 13 " "
 57.31 Intersect the Reserve line 76.90 links from
 the N. E. angle of Reserve
 Set a Post cor. to Sec. 29 + 32 from which
 a Beech 20 in. diam. bears N. 66 E. 25 links dist. &
 a W. Oak 20 " " " S. 46 $\frac{1}{2}$ E. 69 " "
 Land & Timber same

From 84.00

Take 57.31

Leaves 22.69 To Corner of Sec. 29. 30 31 + 32 and

Since 22.69 links South Between Sec. 31 + 32

Marked a Right angle the two legs of which, are
 of the same length:-

now by the 47th Proposition of Euclid. the square

Root of this sum of the two legs squared, is equal to a line, subtending the two angles.
Thus

$22.69 + 22.69 = 32.98$ at S. 45 W. brings me to where the line between Sec. 31 & 32 leaves the Reserve line South
William Brookfield.

South Between Sec. 31 & 32

22.69 Leave the Reserve line & set Corner to Sec. 31 & 32 18 links from the old Post on Reserve line between Sec. 29 & 32 and running down, at 27 chains Intersected J. B. Wayne & Elb River Road. Recurse W. and Canal line.

The corner is

a W. Oak 40 in. diam. bears N. 69 E. 39 links dist. &
a Buckeye 14 " " " S. 14 E. 11 " "

34.54 A Hickory 15 " "

40.00 Set a q. Sec post from which
an Elm 30 in. diam. bears N. 12 W. 12 links dist. &
a Beech 18 " " " S. 12 E. 11 " "

56.50 River Abote 20 links wide; course, S. E.

61.57 Intersect Tenn line 60 links West of old Meander Post on Abote River.

(I cannot stop here. it is bad work)

61.97 A Buckeye 9 in. diam.

80.00 Set a Post Cor. to Sec. 31 & 32. from which
an Elm 7 in. diam. bears N. 12 W. 11 links dist. &
a Do 12 " " " N. 48 E. 18 " "

Sand & Timber same

Sunday Evening Jan 11th 1829

North Between Sec. 28 & 29

Wednesday Jan^y 14th; Snow & rain bad state.
Could not take notes;

17.95 A Red Oak 16 in. diam.

40.00 Set a q. Sec post from which

411

T 30 N R 11 E 2nd Mer. Indiana.

- a Beech 11 in. diam. bears N. 67 $\frac{1}{2}$ W. 36 links dist. &
 a Do 15 " " " N. 63 E. 18 " "
 63.17 A Hickory 14 in. diam.
 80.00 Set a Post cor. to Sec. 20 21. 28 & 29 from which
 a W. Oak 15 in. diam. bears S. 82 $\frac{1}{2}$ E. 12 links dist. &
 a Hickory 13 " " " S. 45 W. 48 " "
 Land rolling 1st note. Timber. W. & R. Oak.
 Hickory. Black Walnut. Beech. &c.

- East On Random between Sec. 21 & 28
 40.00 Set a stump q. Sec. post
 79.42 Intersect N. & S line 105 links North of the Post.
 Land &c same

- West Corrected between Sec. 21 & 28
 39.71 Set a q. Sec post from which
 a Hickory 9 in. diam. bears N. 79 E. 17 links dist. &
 a Do 4 " " " S. 27 $\frac{1}{2}$ W. 18 " "
 79.42 To Sec. corner.

- West Between Sec. 20 & 29
 To close on Reserve I suppose.
 19.36 A W. Oak 22 in. diam.
 28.75 Intersect Reserve line and set a Post Corner
 to Sec. 20 & 29 from which
 an Elm 7 in. diam. bears S. 59 E. 29 links dist. &
 a Buckeye 12 " " " N. 38 $\frac{1}{2}$ E. 51 " "
 Land & Timber same.

- North Between Sec. 20 & 29
 22.96 A W. Oak 8 in. diam.
 40.00 A W. Oak 24 " " is Cor. to q. Sec
 58.00 A Do 18 " "
 80.00 Set a Post Cor. to Sec. 16. 17 20 & 21 from which
 a Sugar 18 in. diam. bears N. 42 $\frac{1}{2}$ W. 6 links dist. &
 a Beech 8 " " " S. 19 $\frac{1}{2}$ E. 20 " "

Land & Timber same as last mile

East On Random between Secs. 16 & 21
 40.00 Set a Temporary gr. Sec. post.
 79.06 Intersect the N & S line 3 links South of Post.
 (at a var. of 5" E)
 Land & Timber same

West Corrected between Secs. 16 & 21
 39.53 Set a gr. Sec. post at aver. dist. from which
 a Buck 26 in. diam. bears N. 7 $\frac{1}{2}$ E. 18 links dist. &
 an Elm 13 " " " N. 73 E. 28 " "
 79.06 To Sec. Corner

North Between Secs. 16 & 17
 17.50 River Abote 30 links wide. Course South
 18.50 Do Do 30 " " " East
 20.19 An Elm 10 in. diam.
 40.00 Set a gr. Sec. post, from which
 a Buckeye 13 in. diam. bears N. 88 $\frac{2}{3}$ E. 18 links dist. &
 a Buck 22 " " " N. 34 W. 17 " "
 55.40 To Abote River 30 links wide Course S. W.
 67.50 A W. Ash 18 in. diam.
 80.00 Set a Post Cor. to Secs. 8, 9, 16 & 17 from which
 a Buck 24 in. diam. bears South 3 links dist. &
 a W. Ash 15 " " " N. 16 W. 14 " "
 Land & Timber same

East On Random between Secs. 9 & 16
 27.50 To Abote River 30 links wide. Course S. W.
 79.69 Intersect the N & S line 6 links South of Post.
 Land & Timber same as last

West Corrected between Secs. 9 & 16
 39.84 Set a gr. Sec. Post at aver. dist. from which
 a Sugar 12 in. diam. bears N. 22 W. 11 links dist. &

T 30 N. R 11 E 2nd Mer. Indiana

413

79.69 a Beech 8 in. diam. bears S. 32 E. 42 links dist.
To the corner.

Friday Jan. 16th 1829

North Between Sec. 8 & 9

19.00 A Hickory 22 in. diam.

40.00 Set a q. Sec post from which
a Red Oak 12 in. diam. bears N 85 W. 21 lks. dist. &
a W. Oak 12 " " " N. 76 E. 28 " "

59.11 A Hickory 5 " "

80.00 Set a Post Corner to Sec. 4. 5. 8 & 9 from which
a W. Oak 28 in. diam. bears S. 58 1/2 E. 11 links dist. &
a Beech 16 " " " S. 64 W. 45 " "
Land & Timber same

East On Random between Sec. 4 & 9

40.00 Set a Temp. q. Sec Post

79.60 Intersect the N & S line 30 links South of Post.
Land &c same

West Connected between Sec. 4 & 9

39.80 Set a q. Sec Post at aver. dist. from which
an Elm 18 in. diam. bears S. 85 W. 61 links dist. &
a Do 18 " " " N. 34 1/2 E. 60 " "

79.68 To the corner

North Between Sec. 4 & 5

23.65 A W. Oak 12 in. diam.

40.00 Set a q. Sec Post from which
a Linn 6 in. diam. bears S. 81 E. 10 links dist. &
a Do 6 " " " S. 2 1/2 W. 23 " "

62.61 A Beech 15 in. diam.

87.11 Intersect the North Boundary 568 links East of
the Post.

Land & Timber same

Set Post Cor. to Sec. 4 & 5 from which

T 30 N. R 11 E 2nd Mer. Indiana.

	a Maple 4 in. diam. bears S. 40 E. 8 links dist. & an Elm 12 " " " S. 12 W. 33 " "
West	Between Sec. 17 & 20.
16.15	A W. Oak 15 in. diam.
25.00	Abote River 30 links wide. Course S. W.
40.00	Set a gp. Sec. post. from which a Beech 22 in. diam. bears S. 86 1/2 E. 28 links dist. & a Do 14 " " " N. 61 1/2 W. 28 " "
61.12	A Beech 14 " "
80.00	Set a Post Cor. to Sec. 17, 18, 19 & 20 from which a Beech 8 in. diam. bears N. 78 E. 2 1/2 links dist. & a Do 4 " " " S. 41 1/2 W. 28 " " Land & Timber same
South	Between Sec. 19 & 20
28.68	A Spruce 10 in. diam. at Intersection of Reserve Land & same as before
West	Between Sec. 18 & 19
24.85	A W. Ash 26 in. diam.
28.90	Intersect the Reserve line and set Cor. to Sec. 12. 26 links S. E. of North angle where a Beech 12 in. diam. bears N. 21 E. 9 links dist. & an Elm 18 " " " S. 77 E. 33 " " Land & Timber same as before
East	On true line between Sec. 18, & 19 Commencing on Range line 22.75 links South of Cor. to Sec. 13 & 24. Set a Post Cor. to Sec. 18 & 19 from which a Beech 12 in. diam. bears N. 41 3/4 E. 3 1/4 links dist. & a Do 11 " " " S. 49 1/2 E. 20 " "
11.97	Intersect the Reserve line 11.73 links S. W. of the North angle of Reserve & set a Post Cor. to Sec. 18 & 19 from which a W. Oak 18 in. diam. bears S. 74 W. 62 links dist. &

415

T 30 N R 11 E. 2nd Mer. Indiana.

a Beech 14 in. diam. bears N 66 W. 40 links dist.
Land &c, same as before;

North Between Sec. 17 & 18

21.50 A Blue Ash 8 in. diam.

40.00 Set a q. Sec post from which
a Beech 9 in. diam. bears North 23 links dist. &
a W. Oak 14 " " " S. 66 E. 23 " "

57.94 A Beech 7 " "

30.00 Set a Post Cor. to Sec. 7. 8. 17 & 18 from which
a Beech 5 in. diam. bears N. 62 E. 7 links dist. &
a Dr 5 " " " S. 62 W. 17 " "
Land &c same as before

East On Ransom between Sec. 8 & 17

40.00 Set a Temporary q. Sec Post.

78.75 Intersect the N & S line 44 links North of Post.
Land &c same as before.

West Connected between Sec. 8 & 17

39.37 1/2 Set q. Sec post at aver. dist. &c

A Red Oak 30 in. diam. is q. Sec. Corner

78.75 To Sec corner.

West Between Sec. 7 & 18

15.05 A Beech 14 in. diam.

40.00 Set a q. Sec Post from which
a Beech 12 in. diam. bears N 60 E. 23 links dist. &
a Dr 11 " " " S. 46 W. 8 " "

59.70 Intersected West Boundary 23 75 links !!! South
of the Post Cor. to Sec. 12 & 13.

Set a Post Cor. to Sec. 7 & 18 from which

a Beech 7 in. diam. bears S. 80 E. 43 links dist. &
a Dr 5 " " " N. 6 1/2 E. 40 " "

Land & Timber same as before

Saturday Jan. 17th 1829

P. I. It is passing strange, how the Township
Surveyor should have made such work.

North Between Sec. 7 & 8

20.76 An Elm 10 in. diam.

40.00 Set a gr. Sec Post from which

a Woodch 15 in. diam. bears S. 25 E. 24 links dist. &
a Cherry 5 " " " N. 27 W. 16 " "

58.40 A Red Oak 16 in. diam.

80.00 Set a Post cor. to Sec. 5, 6, 7 & 8 from which
an Elm 8 in. diam. bears S. 24 1/2 E. 7 links dist. &

a Maple 16 " " " N. 65 1/2 W. 16 " "

Land & Timber as before

East On Random between Sec. 5 & 8

40.00 Set Temp. gr. Sec. Post.

79.68 Intersected N & S line 99 links North of Post.

Land & Timber same as before

West Corrected between Sec. 5 & 8

39.84 Set a gr. Sec Post at aver. dist. from which

a Beech 4 in. diam. bears N. 9 1/2 E. 24 links dist. &

a Do 7 " " " N. 77 1/2 E. 12 " "

79.68 To Sec. corner.

West Between Sec. 6 & 7

20.13 A Beech 28 in. diam.

40.00 Set a gr. Sec Post from which

a Black Walnut 26 in. diam. bears S. 68 E. 29 links dist.

a Sugar 18 " " " S. 34 1/2 W. 14 " "

53.25 An Elm 12 in. diam.

60.32 Intersect the West Boundary 22 ch. & 65 links

South of the Post

Set Post Cor. to Sec. 6 & 7 from which

a W. Oak 26 in. diam. bears N. 31 1/2 E. 35 links dist. &

a Beech 14 " " " S. 76 E. 13 " "

Land &c same as before

North Between Sec. 5 & 6
 18.68 A W. Oak 36 in. diam.
 40.00 Set a gr. Sec Post from which
 a W. Oak 15 in. diam. bears S 59 E 31 links dist. &
 a Beech 5 " " " N. 21 E. 16 " "
 64.50 A W. Ash 8 " "
 87.83 Intersect the North Boundary 7.25 links!!!
 East of Post. Set Post Cor. to Sec. 5 & 6. from which
 a W. Oak 24 in. diam. bears S 52 E. 9 links dist. &
 a P. 22 " " " S. 23 1/2 W. 60 " "
 Land & Timber same
 Sunday Jan. 18th 1829.

William Brookfield
 Commenced this Book January 5th 1829 and
 finished it Sunday Jan. 18th 1829
 William Brookfield.
 Dep^y Surveyor.

N. B. The Canal line crosses the Range line
 East side of this Township 4 chains to the
 South of Cor. to Sections 13 & 24.

This Township contains much fine Land &
 Timber. Water is scarce; the Brooks are all
 dry, except Little River, and the Abote Brook;
 this last becomes dry after passing the center
 of the Township. The former is fully named.

I have been obliged to make some alterations in the
 S.W. part of this Town, as will be seen by references
 to the Notes. The Range line, as represented, passed
 out W. Racoon's Reserve. On the N.E. side; whereas
 I found it leaving the Range on the N.W. side.
 which led me to suppose my line, indeed, between

T 30 N. R. 11 E 2nd Mer. Indiana.

Sections 18 & 19 where I intersected Reserve
therefore see the Closing on next leaf.

Wm Brookfield
O. I.

Meanders of Little River. in Sec. 32

Beginning at Post on Town line. South side

of Sec. 32. Thence

Courses	Distances	Remarks.
N 45 E	12.50	
S 85 E	9.50	There is a small muddy stream coming in from the East. perhaps 10 links wide.
East	0.50	
N 35 E	1.90	To Meander Post between Sec. 32 & 33

N 69 3/4 E 14.00

In Sec. 33

N 54 E 12.00

S 43 E 1.25

N 78 E 1.31

S 70 E 1.00

N 37 1/2 E 0.50

North 1.00

N 61 E 1.00 Little River is not more than 8 links wide here, and bounded by Brins and Willows,
Jan. 12th 1829

N 65 3/4 E 4.50

S 71 1/3 E 1.00

N 52 E 2.12

N 73 E 3.00

S 82 1/3 E 5.50

N 86 E 5.00

N 71 1/3 E 1.50

N 82 1/3 W 2.25

N 45 E 8.50

N 72 E 7.50

419

T 30 N. R 11 E. 2nd Mer. Indiana

Courses	Distances	Remarks
N 20 E	2.50	
N 4 W	2.00	
S 78 E	8.00	
S 73 E	3.50	
S 44 E	2.00	
N 76 E	3.50	
N 54 1/2 E	6.15	To Meander Post between Sec. 3 & 4. thence

S 65 1/2 E	8.00	In Sec -
S 40 E	5.30	
N 54 E	2.75	
S 58 1/2 E	2.85	
N 89 1/2 E	14.00	
N 19 1/2 E	3.00	
N 30 1/2 E	7.50	
N 77 1/4 E	2.50	
N 20 E	1.00	
N 62 1/2 E	18.50	
S 78 E	20.50	
N 77 1/2 E	2.00	
S 69 1/3 E	2.50	
N 21 1/2 E	5.00	
N 72 1/2 E	2.15	To Meander Post between Sec. 34 & 35

S 89 E	1.00	In Sec 35
N 87 1/4 E	2.00	
N 53 E	1.50	
N 4 W	6.50	
N 35 W	4.00	
N 17 1/2 W	3.50	
N 62 1/2 E	4.50	
N 63 1/4 W	2.50	
N 41 1/3 E	9.50	
N 31 E	1.35	To Meander Post between Sec. 26 & 35

420

T 30 N. R 11 E 2nd Mer. Indiana.

N 5 1/2 E 18.50

In Section 26

N 11 E 3.23

To Meander post opposite the upper
end of 10 mile Reserve

N 33 E 16.00

N 43 E 9.00

N 61 1/2 E 3.31 To the end of Portage line

Thursday Jan^y 13th 1829.

William Brookfield

Pursuant to a contract dated the 4th of Nov.
1828, and instructions from Edward Tiffin
Surveyor General of the United States, for the
States of Ohio, Indiana, and the ter. of Michigan
I have surveyed and subdivided into sections
the foregoing Township in the Fth Wayne
District in the State of Indiana, described in
said Contract, and I Certify that the fore-
going are the true and correct field notes
of the said survey and subdivisions made
under the contract aforesaid.

Certified this 4th day of May 1829

William Brookfield

Dep^y Surveyor

Comp'd

North Between Secs 34 & 35

17.89 Intersect North Boundary of Grant No. to White Raccoon,
 set a Post in Prairie. no Mound made
 Measured North 79° E 60 77 links to the N E
 cor. at old Boundary.

40.00 Set a g. Tree Post, from which
 a Burr Oak 12 in. diam. bears N 58° W. 135 lbs. dist.
 No other tree near

45.00 Enter grove of Timber

52.05 Intersect the Left Bank of Little River and
 set a Post, from which
 a Maple 18 in. diam. bears N 69° E. 34 links dist. &
 a Do 5 " " " S 13° E. 68 " "
 Land all wet Prairie & swamps.

East Between Secs 36 & 35

1. 64 Over River and set a Post, from which
 a Willow 6 in. diam. bears S 35° W. 33 links dist. &
 a Maple 5 " " " S 8° W. 46 " "

24.23 Intersect the N E Boundary. Set Post in said
 line. from which

an Elm 12 in. diam. bears N 33° E. 7 links dist. &
 a Do 12 " " " S 89° W. 32 " "

Measured North 44 1/2 links west along the
 N E. Boundary 28 10. to the Little River at
 North Corner of the Reserve.

Set a Post. from which a
 Willow 6 in. diam. bears S 36° E. 155 links dist. & a
 Do 6 " " " S 29° E. 137 " "

All wet Prairie and swamp

The Boundary of this end I believe was never
 run beyond Robinsons Creek. I went to that
 Creek and run it through to the River. and no
 vestige of a blaze was to be found, although there
 is plenty of Timber. but wet ground.

No 4

72

T 30 N. R 11 E 2nd Mer. Indiana.

- North Between Sec. 33 & 34
 , 89 Intersect the North Boundary of Grant N^o
 to to p^{er} ch.
 Set a Post, from which
 an Ash 5 in^d diam. bears N. 89 W. 11 links dist. &
 a Do 6 " " " N. 41 E. 30 " "
1. 50 Enter Wet Prairie
 34. 85 Intersect the Left Bank of Little River and
 Set a post from which
 a Willow 10 in^d diam. bears S. 2 E. 60 links dist. &
 " no other tree convenient
 All Wet Prairie & Willow Swamp
 Measured from the intersection of this line
 with the North Boundary of Grant N^o to
 to p^{er} ch. S. 78 W. 4 18 ch to the Township
 line Set Post, from which
 an Ash 12 in^d diam. bears West 18 links dist. &
 a Maple 20 " " " S. 81 E. 36 " "

- North Between Sec. 32 & 33
 10. 00 Intersect the Left Bank of the Lake made by
 Little River. Set Post from which
 an Elm 20 in^d diam. bears N. 85 E. 21 links dist. &
 an Ash 6 " " " N. 26 W. 12 " "
 Land all swamp

Jan^y 6th 1848

- East On Random between Sec. 18 & 19
 17. 00 Intersect N. & S line 32 links North of the Post
 Land rolling and good.

- West Connected between Sec. 18 & 19
 11. 10 Set a gr. Sec. post from which
 a Beech 18 in^d diam. bears N. 19 E. 9 links dist. &
 a Do 20 " " " N. 76 W. 16 " "
 17 00 To Sec. Corner at place of beginning.

South Between Sec. 19 + 20
 8. 50 A Stream 25 links wide. Course S E.
 11. 32 Set a gr. Sec. post, from which
 an Elm 40 in. diam. bears N 40 W 15 links dist, &
 a Hickory 14 " " " S. 65 W. 6 " "
 23. 70 A Sycam 12 " "
 40. 84 A Beech 6 " "
 51. 32 Set a Post cor. to Sec. 19. 20. 29 + 30. from which
 a Beech 12 in. diam. bears N 60 W. 10 links dist, &
 a Do 8 " " " S. 78 E. 6 " "
 Land broken & poor. Timber. Beech Oak.
 Hickory & Ironwood. Dogwood, &c.

East On Random between Sec. 20 + 29
 22. 00 To Abrite Creek. 50 links wide. Course South
 51. 13 Intersect N & S line 6 links South of the Post.
 Land rolling 2nd etc. Timber. Beech
 Oak. Ash. Sugar. Elm. Sycam. Hickory &c
 Undergr. Spice. &c.

West Connected between Sec. 20 + 29
 11. 13 Set a gr. Sec. post from which
 a Red Oak 36 in. diam. bears N. 72 E. 19 links dist, &
 a Do 36 " " " S. 77 W. 43 " "
 22. 60 An Ironwood 5 in. diam.
 36. 85 A Beech 18 " "
 51. 13 To Sec. Corner.

West Between Sec. 19 + 30
 13. 70 A Beech 12 in. diam.
 26. 60 A Buckeye 12 " "
 40. 00 Set a gr. Sec post, from which
 a Sugar 14 in. diam. bears N. 87 W. 30 links dist, &
 a Beech 14 " " " West 4 " "
 57. 22 Intersect the Range line. & set a Post between
 Sec. 19 + 30 from which a

T 30 N R 10 E 2nd Mer. Indiana

Beech 18 in. diam. bears N 83 E 10 links dist &
 a Do. 18 " " " S. 53 E. 31 " "
 Measured from this cor. North along the Range
 line 23. 16 ch. to the Corner of Sec. 24 & 25
 Land Rolling and good. Timber: Beech. Ash.
 Elm. Sugar. Hickory. Gynn. &c.

North Between Sec. 29 & 30-

14. 60 A Beech 18 in. diam.

27. 64 A Do 6 " "

39. 85 to Abrite Creek - links wide. Course S. W.

40. 00 Set a post in Creek. from which
 a Sycamore 12 in. diam. bears N. 43 E. 65 links dist &
 a Hickory 18 " " " S. 22 W. 46 " "

44. 50 Abrite Creek. S. E.

47. 53 Intersect N. E. Boundary of Grant St. to
 Chap. pine. Set Post from which
 a Walnut 22 in. diam. bears S. 85 E. 29 links dist &
 a Buckeye 18 " " " N. 16 E. 15 " "
 Measured S. 45 E. on the Boundary 37. 61 to the
 East corner. & North 45 W. 16. 89 to the North
 corner. Land Rolling and good.

Measured from the Cor. of Sec. 25 & 30 South
 on Range line and set Post between sections
 30 & 31. from which

a Burr Oak 18 in. diam. bears N. 86 E. 27 links dist &
 a Black Oak 18 " " " N. 37 W. 47 " "

East Between Sec. 30 & 31

5. 00 Intersect the N. W. Boundary of Grant St.
 to Chap. pine. Set Post in said Boundary
 from which a

W. Oak 4 in. diam. bears N. 61 W. 22 links dist & a
 Do 3 " " " S. 47 E. 19 " "

Measured thence N. 45 E. along said Boundary
 58. 55 ch. to the North corner. and S. 45 W. 7. 06

T 30 N. R 11 E 2nd Mer. Indiana.

to the Range line.

January 7th 1840.

Meanders of Little River.

Beginning at the Corner of Ten Mile Reserve
thence down the Left Bank in Sec. 26.

Courses	Distances.	Remarks.
S 15 th W	10.00	
S 2 nd E	6.50	
S 8 th W	4.00	At line of sections 26 & 35 Thence

S 6 th W	1.50	In Sec 35
S 7 th W	4.00	
S 5 th E	4.50	
S 10 th W	5.00	
S 3 rd W	2.50	
N 8 th W	4.00	
S 3 rd W	4.50	
S 3 rd E	3.50	
S 1 st E	5.50	
S 6 th W	3.00	
S 7 th W	2.50	A line of Sec. 34 & 35

N 6th W 1.50 In Sec. 34
 + S 5th W 2.00 + S 15th E 2.00

S 6 th W	2.50
S 7 th W	3.00
S 7 th W	3.50
N 6 th E	3.00
S 6 th W	3.50
N 8 th W	5.00
N 6 th W	4.50
S 7 th W	4.50
N 6 th W	3.00

Courses	Distances	Remarks
S 70 W	2.50	
S 10 W	2.50	
S 60 W	2.50	
N 86 W	1.00	
S 57 W	3.50	
N 52 W	3.50	
S 79 W	3.25	
S 31 W	11.00	
West	13.00	
N 57 W	3.00	
S 65 W	4.00	
N 13 W	5.00	
N 75 $\frac{1}{2}$ W	6.50	At line of Sec. 33 & 34

N 81 W	1.00	In Sec 33.
S 69 W	14.50	
N 55 W	4.50	
N 60 W	3.50	
S 47 W	4.50	
S 71 W	6.50	
S 6 W	3.50	
S 57 W	4.00	
S 19 W	1.00	
S 21 E	3.00	
S 39 W	4.00	
S 4 E	2.00	
S 54 W	.75	
N 87 W	3.80	
S 74 W	2.00	
N 57 W	3.90	
N 3 E	1.75	
N 64 W	0.85	
S 65 W	1.35	
N 40 W	1.50	
S 70 W	1.00	

T 30 N R 11 E 2nd Mer. Indiana

S60 W 3.50

S46 W 1.00

S82 W 1.00

N81 W 1.10

S54 W 0.90

S4 E 1.10

S76 W 0.65

N77 W 1.15

S57 W 5.00 Head of the Lake

S67 W 11.50

S74 W 71.00

S84 W 1.50

S76 W 14.00 In Sec 32

S88 W 14.50

S13 3/4 W 5.64 Township line at Post.

January 8th 1840

Surveyed by
G. Lester, D. I.

22

T 30 N. R. 11 E. 2nd Mer. Indiana.

I hereby Certify that in Pursuance of a Contract with E. I. Haynes Esq. Surveyor General of the United States for the States of Ohio, Indiana & Michigan. bearing date the 20th of April. 1839. and in strict conformity to the laws of the United States and the instructions of said Surveyor General, I have surveyed and subdivided into Sections Township (Twp.) No 30 North of Range No 11 East of the 2nd Mer. in the State of Indiana. and I further Certify that the foregoing are the true and original Field Notes of the said Survey and Subdivision made under the Contract aforesaid.

Certified this 10th day of January 1840.

G. Carter.

Dep^y Surveyor.

E. Ferguson }
W^m Miller } Chainmen.

William T. Thove. Marker.

I Certify that the foregoing transcript of the Field Notes of Township No 30 North of Range No 11 East of the 2nd Mer. in the State of Indiana. has been compared with the original Notes in this Office and found to be correct.

Surveyor General's Office

Cincinnati. July 26th 1844

William Houston
Sur. Genl.